

Please note as per Section 15.02.4 of the **Mine Health and Safety Regulations**: No work shall commence until the safety program is accepted by the Chief Inspector. Submission Date:

Section #	In Compliance with <i>Mine Health and Safety Regulations</i>	Details
15.02.1 (a)	Before any activity is commenced, the owner shall submit to the Chief Inspector an operational plan containing:	
	Contractor/Consultant Company	
	Contractor/Consultant Owner or Project Manager	
	Contractor/Consultant Address	
	Contractor/Consultant WSCC Employer Number	
	Contractor/Consultant Site Contact	
	Contractor/Consultant Site Contact Phone Number	
	Joint Venture Partner(s)	
	List of Subcontractors	
	Project Name	
	Approximate Project Timeline	
	Project Region	

Section #	In Compliance with <i>Mine Health and Safety Regulations</i>	Details
15.02.1 (a) continued	List of Hazards and Mitigations	
	Remediation of "Site Name"	
	All identified Hazards	
	Special Project Considerations (If Yes, provide Safe Work Plan)	
	Drilling Program?	
	Other Mechanical Disturbances?	
	Winter Road Construction?	
Blasting Program?		
Radiation		

Section #	In Compliance with Mine Health and Safety Regulations	Details
8.38	<p>To provide for the proper treatment and transportation of persons who may be injured at work, the owner shall supply and make readily accessible to employees, as a minimum, the first aid equipment, supplies, facilities and services specified by this Division:</p> <p>Briefly explain what you will use as a first aid facility on site.</p>	
8.39	<p>First aid equipment, supplies and facilities shall be kept clean, dry and ready for use.</p>	
8.40	<p>First aid equipment shall meet the requirements of Schedules 1, 2, and 3 unless these regulations specify otherwise or the Chief Inspector orders otherwise:</p> <p>List any orders received from the Chief Inspector if they alter from Schedules 1, 2 or 3</p>	
8.41	<p>Each employee shall be made aware of the location of first aid for his or her worksite and how to call for first aid.</p>	
8.42	<p>Signs clearly indicating the location of, and how to call for, first aid shall be posted conspicuously throughout the mine.</p>	

Section #	In Compliance with <i>Mine Health and Safety Regulations</i>	Details
8.43 (a)	<p>The manager shall ensure that a first aid facility is in the charge of a person who (a) has the qualifications specified in Schedule 3.1 for the number of persons at the mine, or an equivalent or greater qualification or certificate; (b) shall only perform duties which allow the prompt response to a request for first aid and the rendering of first aid in a clean and sanitary condition; and (c) is suitably trained to administer first aid in any area of a mine or exploration site.</p> <p>Distance from hospital being greater than 20 minutes - clause 8.48 will apply.</p>	
8.44	<p>There shall be an effective means of communication between the person in charge of the first aid facility and all worksites to be served:</p> <p>How will you summon the first aid person in an emergency?</p>	
8.45	<p>There shall be effective means of communication for the person in charge of the first aid facility to summon additional assistance:</p> <p>Briefly explain how the medic, attending to a serious injury, can contact the hospital</p>	
8.46	<p>The first aid facility shall be adequately illuminated, heated and ventilated:</p> <p>Have you made the appropriate arrangements?</p>	
8.47. 1 (g)	<p>Other places where required by an inspector:</p> <p>What first aid equipment supplies will you provide to the field crew?</p>	
8.47.2	<p>The equipment and supplies required by subsection (1) shall meet the requirements of Schedule 1, and shall be checked weekly and maintained or replenished as necessary:</p> <p>Who is responsible to maintain supplies? (E.g., First aid attendant?)</p>	

Section #	In Compliance with <i>Mine Health and Safety Regulations</i>	Details				
8.48	<p>Where the time for the surface transportation of a person from a mine to the nearest hospital exceeds 20 minutes, the owner shall (a) provide a first aid facility that is provided with first aid equipment and supplies that meet the requirements of Schedule 2; and (b) notwithstanding paragraph 8.43(a), ensure that the first aid facility is in the charge of a person who holds a valid St. John Ambulance Advanced First Aid Level 2 certificate or an equivalent or greater qualification or certificate.</p>	<table border="1"> <tr> <td data-bbox="207 499 646 636">Name and qualification of first aid person</td> <td data-bbox="646 499 1531 636"></td> </tr> <tr> <td data-bbox="207 636 646 772">Name and qualification of back up first aid person</td> <td data-bbox="646 636 1531 772"></td> </tr> </table>	Name and qualification of first aid person		Name and qualification of back up first aid person	
Name and qualification of first aid person						
Name and qualification of back up first aid person						
8.49	<p>Where the time for stabilization treatment of an injured person may be longer than two hours, unless circumstances of the injury dictate otherwise, suitable arrangements shall be made to ensure the comfort and treatment of the injured patient.</p>	<table border="1"> <tr> <td data-bbox="207 877 646 1125">What supplies of oxygen, etc., will be on site to support injured person(s) during a normal bad weather period that prevents or delays a medical evacuation from arriving or departing?</td> <td data-bbox="646 877 1531 1125"></td> </tr> <tr> <td data-bbox="207 1125 646 1209">Is a defibrillator part of the first aid supplies?</td> <td data-bbox="646 1125 1531 1209"></td> </tr> </table>	What supplies of oxygen, etc., will be on site to support injured person(s) during a normal bad weather period that prevents or delays a medical evacuation from arriving or departing?		Is a defibrillator part of the first aid supplies?	
What supplies of oxygen, etc., will be on site to support injured person(s) during a normal bad weather period that prevents or delays a medical evacuation from arriving or departing?						
Is a defibrillator part of the first aid supplies?						
<p>If unable to input all information for a specific section above, please insert additional details below with the appropriate section of applicable legislation.</p>						
<p>OFFICE USE ONLY</p>						
Date Safety Plan Received:	Date Safety Plan Accepted:	Processing Mine Inspector:				